PHARMACOPŒIA.

Pharmacopoeia

London: University College Hospital

Buxton Shillitoe

PHARMACOPŒIA

AD USUM

VALETUDINARII COLLEGII UNIVERSITATIS LONDINENSIS,

ACCOMMODATA.

LONDINI:
TAYLOR ET WALTON.

MDCCCXLVI.

LONDON:
BRADBURY AND EVANS, PRINTERS, WHITEFRIARS.

CONTENTS.

DECOCTA.

1. DECOCTUM ALOËS COMPOSITUM.

℞ Aloës unciam cum semisse,
Pulveris Myrrhæ unciam cum semisse,
Potassæ Carbonatis unciam,
Aquæ octarios duodecim ;
Misce, decoque ad octarios octo, adjice,
Extracti Glycyrrhizæ uncias quatuor.
Dosis f℥j ad f℥ij.

2. DECOCTUM HEMIDESMI INDICI.

℞ Hemidesmi Indici Radicis uncias quinque,
Aquæ octarios quatuor ;
Misce, decoque ad octarios duos, cola.
Dosis f℥j ad f℥iv.

3. DECOCTUM HEMIDESMI INDICI COMPOSITUM.

℞ Decocti Hemidesmi octarios quatuor,
Sassafras concisæ, ⎫
Guaiaci Ligni Rasi, ⎬ singulorum drachmas decem.
Glycyrrhizæ contusæ, ⎭

Mezerei drachmas tres ;
Misce, decoque per quartam horæ partem, cola.

Dosis f℥j ad f℥iv.

4. DECOCTUM PAREIRÆ BRAVÆ.

℞ Pareiræ Bravæ Radicis semunciam,
Aquæ ferventis octarios tres ;
Misce, et decoque ad octarium.

Dosis f℥j ad f℥ij.

5. DECOCTUM SARZÆ COMPOSITUM.

℞ Extracti Sarzæ compositi drachmam,
Aquæ ferventis fluiduncias octo ;
Solve.

Dosis f℥j ad f℥iv.

ELECTUARIA.

6. ELECTUARIUM FERRI.

℞ Ferri Sesquioxydi et
Theriacæ, singulorum drachmas quatuor ;
Misce, fiat Electuarium.

Dosis ʒj ad ʒiij.

7. ELECTUARIUM JALAPÆ CUM POTASSÆ BITARTRATE.

℞ Potassæ Bitartratis drachmas tres,
Pulveris Jalapæ drachmas duas,
Pulveris Zingiberis scrupulum,
Theriacæ unciam ;
Misce, fiat Electuarium.

Dosis ʒj ad ʒij.

ENEMATA.

8. ENEMA CATHARTICUM.

℞ Decocti Avenæ uncias duodecim,
Olei Olivæ uncias duas,
Misturæ domesticæ uncias quatuor ,
Misce, fiat Enema.

9. ENEMA FŒTIDUM.

℞ Decocti Hordei octarium dimidium,
Olei Olivæ unciam,
Misturæ Assafœtidæ uncias tres,
Misturæ Acaciæ unciam dimidiam ;
Misce, fiat Enema.

10. ENEMA OPII.

℞ Tincturæ Opii minima quadraginta,
Misturæ Amyli uncias quatuor;
Misce, fiat Enema.

11. ENEMA TEREBINTHINÆ.

℞ Decocti Hordei octarium,
Olei Terebinthinæ unciam cum semisse,
Vitellum ovi unius;
Tere optimè Terebinthinam cum ovi vitello, adde gradatim Decoctum, et fiat Enema.

GARGARISMATA.

12. GARGARISMA ALUMINIS.

℞ Aluminis drachmas duas,
Aquæ fluiduncias sex cum semisse,
Mellis unciam cum semisse;
Misce, fiat Gargarisma.

13. GARGARISMA CINCHONÆ CUM ACIDO.

℞ Decocti Cinchonæ fluiduncias sex cum semisse,
Acidi Hydrochlorici fluidrachmam cum semisse,

Mellis unciam cum semisse ;
Misce, fiat Gargarisma.

14. GARGARISMA SODÆ BIBORATIS.

℞ Sodæ Biboratis drachmas duas,
Mellis unciam cum semisse,
Aquæ fluiduncias sex cum semisse ;
Misce, fiat Gargarisma.

INFUSA.

15. INFUSUM SENNÆ COMPOSITUM
(VEL MEDICINA DOMESTICA.)

℞ Sennæ Foliorum unciam,
Magnesiæ Sulphatis uncias quatuor,
Zingiberis contusi drachmas duas,
Aquæ ferventis—octarium,
Macera per horas quatuor, cola.
Dosis f℥iss. ad f℥iii.

16. INFUSUM JUNIPERI CUM SCOPARIO.

℞ Juniperi Fructus unciam,
Scoparii Stipitum semunciam,
Aquæ ferventis octarium ;
Macera per horas duas, cola.

INJECTIO.

17. INJECTIO QUERCUS CORTICIS (VAGINALIS.)

℞ Decocti Quercûs corticis octarium,
Aluminis drachmas duas ;
Solve, fiat Injectio.

LINIMENTA.

18. LINIMENTUM CAMPHORÆ CUM OLEO CROTONIS.

℞ Linimenti Camphoræ compositi fluidunciam,
Olei Crotonis guttas decem,
Olei Olivæ semunciam ;
Misce, fiat Linimentum.

19. LINIMENTUM CAMPHORÆ CUM OPIO.

℞ Linimenti Camphoræ compositi fluidunciam,
Olei Olivæ, et
Tincturæ Opii, singulorum fluidrachmas duas ;
Misce, fiat Linimentum.

20. LINIMENTUM IODINII COMPOSITUM.

℞ Potassii Iodidi unciam dimidiam,
Liquoris Ammoniæ fortis et
Olei Olivæ, singulorum unciam,
Aquæ uncias tres ;
Misce, fiat Linimentum.

21. LINIMENTUM OPII.

℞ Opii Pulveris subtilissimi drachmam,
Olei Olivæ fluidunciam ;
Misce, fiat Linimentum.

22. LINIMENTUM SAPONIS COMPOSITUM.

℞ Saponis mollis libras duas,
Olei Rosmarini et Olei Origani singulorum fluiduncias duas,
Spiritus tenuioris Congium.
Misce, fiat Linimentum.

23. LINIMENTUM SAPONIS CUM OPIO.

℞ Linimenti Saponis compositi fluidunciam,
Tincturæ Opii fluidrachmas duas ;
Misce, fiat Linimentum.

24. LINIMENTUM TEREBINTHINÆ ACETICUM.

℞ Olei Terebinthinæ et
Acidi Acetici fortioris, singulorum fluid-uncias duas cum semisse ;
Olei Lini et
Mellis, singulorum unciam dimidiam ;
Misce, fiat Linimentum.

LIQUORES.

25. LIQUOR CINCHONIÆ DISULPHATIS.

℞ Cinchoniæ Disulphatis grana sedecim,
Acidi Sulphurici diluti, minima triginta duo,
Aquæ fluidunciam ;
Solve.

Dosis f℥i.

26. LIQUOR IODINII CAUSTICUS.

℞ Iodinii et
Potassii Iodidi, singulorum unciam ;
Spiritûs Vini rectificati fluiduncias duas ;
Solve.

27. LIQUOR MORPHIÆ HYDROCHLORATIS
(VEL HAUSTUS ANODYNUS.)

℞ Morphiæ Hydrochloratis granum,
Aquæ fluidunciam ;
Solve.

Dosis, f ʒii ad f ℥i.

28. LIQUOR POTASSII IODIDI.

℞ Potassii Iodidi drachmam,
Aquæ fluidunciam ;
Solve.

Dosis, ♏ xv. ad f ʒi.

LOTIONES.

29. LOTIO ACIDI NITRICI.

℞ Acidi Nitrici fluidrachmam,
Tincturæ Opii fluidrachmam,
Aquæ octarium ;
Misce, fiat Lotio.

30. LOTIO ARGENTI NITRATIS.

℞ Argenti Nitratis grana quatuor,
Aquæ destillatæ fluidunciam ;
Solve, fiat Lotio.

31. LOTIO CUPRI SULPHATIS.

℞ Cupri Sulphatis grana quatuor,
Aquæ fluidunciam ;
Solve, fiat Lotio.

32. LOTIO PLUMBI DIACETATIS.

℞ Liquoris Plumbi Diacetatis fluidrachmam,
Aquæ destillatæ octarium ;
Misce, fiat Lotio.

33. LOTIO ZINCI SULPHATIS.

℞ Zinci Sulphatis grana quatuor,
Aquæ destillatæ fluidunciam ;
Solve, fiat Lotio.

34. LOTIO ZINCI SULPHATIS COMPOSITA

(VEL LOTIO RUBRA.)

℞ Zinci Sulphatis grana duo,
Tincturæ Lavandulæ compositæ minima quindecim,
Aquæ destillatæ fluidunciam ;
Misce, fiat Lotio.

MISTURÆ.

35. MISTURA ACACIÆ CUM VINO IPECACUANHÆ.

℞ Decocti Hordei et
Misturæ Acaciæ, singulorum fluiduncias duas,
Vini Ipecacuanhæ fluidrachmas duas,
Tincturæ Scillæ fluidrachmam dimidiam,
Syrupi Papaveris fluidrachmam ;
Misce, fiat Mistura.
Dosis f℥j ad ℥iss.

36. MISTURA ALOETICA.

℞ Decocti Aloës compositi fluiduncias sex,
Tincturæ Rhei fluidrachmas tres,
Magnesiæ Carbonatis scrupulum,
Magnesiæ Sulphatis drachmas sex ;
Misce, fiat Mistura.
Dosis f℥j ad ℥iss.

37. MISTURA AMYGDALI CUM ANTIMONII POTASSIO-TARTRATE.

℞ Antimonii Potassio-Tartratis grana octo,
Mistura Amygdali amari fluiduncias octo;
Misce, fiat Mistura.
Dosis f℥ss ad ℥iss.

38. MISTURA ANTHEMIDIS CUM MAGNESIÆ SULPHATE.

℞ Infusi Anthemidis fluiduncias sex,
Magnesiæ Sulphatis unciam,
Tincturæ Zingiberis fluidrachmam ;
Misce, fiat Mistura.
Dosis f℥iss ad f℥ij.

39. MISTURA ANTIMONII POTASSIO-TARTRATIS.

℞ Antimonii Potassio-Tartratis grana octo,
Misturæ Camphoræ fluiduncias octo ;
Misce, fiat Mistura.
Dosis f℥ss ad f℥iss.

40. MISTURA ANTIMONII POTASSIO-TARTRATIS CUM MAGNESIÆ SULPHATE.

℞ Antimonii Potassio-Tartratis granum,
Magnesiæ Sulphatis drachmas quatuor,
Misturæ Camphoræ fluiduncias sex ;
Misce, fiat Mistura.
Dosis f℥j ad f℥ij.

41. MISTURA CASCARILLÆ CUM ACIDO NITRICO.

℞ Infusi Cascarillæ fluiduncias quinque cum semisse,

Acidi Nitrici diluti fluidrachmam,
Tincturæ Humuli fluidrachmas tres;
Misce, fiat Mistura.

Dosis f℥i ad f℥iss.

42. MISTURA CATECHU.

℞ Aquæ Anethi fluiduncias quatuor,
Misturæ Cretæ fluiduncias duas,
Misturæ Acaciæ fluidunciam,
Tincturæ Catechu fluidrachmas tres,
Syrupi Zingiberis fluidrachmas quinque;
Misce, fiat Mistura.

Dosis f℥ss ad f℥iss.

43. MISTURA COLCHICI ALKALINA.

℞ Vini Seminum Colchici fluidrachmas tres,
Sodæ Sesquicarbonatis drachmas duas,
Aquæ Menthæ Piperitæ fluiduncias quatuor cum semisse,
Aquæ fontanæ fluiduncias tres;
Misce.

Dosis f℥i ad f℥iss.

44. MISTURA COLCHICI CUM MAGNESIA

℞ Vini Seminum Colchici semunciam,
Magnesiæ drachmas duas,

Aquæ Menthæ Piperitæ octarium ;
Misce, fiat Mistura.
Dosis f℥j ad ℥iss.

45. MISTURA COLCHICI CUM MAGNESIÆ SULPHATE.

℞ Vini Seminum Colchici fluidrachmas duas,
Magnesiæ Sulphatis drachmas quatuor,
Magnesiæ Carbonatis scrupulos duos,
Aquæ Menthæ Piperitæ fluiduncias sex;
Misce, fiat Mistura.
Dosis f℥i ad f℥iss.

46. MISTURA GENTIANÆ CUM ACIDO SULPHURICO.

℞ Infusi Gentianæ compositi octarium,
Acidi Sulphurici diluti fluidrachmas duas;
Misce, fiat Mistura.
Dosis f℥j ad f℥ij.

47. MISTURA LOBELIÆ ET AMMONIACI.

℞ Tincturæ Lobeliæ Inflatæ fluidrachmam,
Tincturæ Hyoscyami fluidrachmam et dimidiam,
Misturæ Ammoniaci fluidrachmas duodecim,
Aquæ fluidrachmas duodecim ;
Misce, fiat Mistura.
Dosis f℥ss ad ℥i.

48. MISTURA MAGNESIÆ SULPHATIS CUM ACIDO SULPHURICO.

℞ Magnesiæ Sulphatis uncias tres,
Aquæ Menthæ Piperitæ fluiduncias quatuordecim,
Acidi Sulphurici diluti fluidunciam dimidiam ;
Misce, fiat Mistura.
Dosis f℥iss ad f℥ii.

49. MISTURA MAGNESIÆ SULPHATIS CUM MAGNESIA.

(VEL SALINA APERIENS)

℞ Magnesiæ Sulphatis unciam,
Magnesiæ Carbonatis drachmam,
Antimonii Potassio-Tartratis granum,
Aquæ ferventis uncias octo ;
Misce, fiat Mistura.
Dosis f℥j ad f℥ij.

50. MISTURA OPII AMMONIATA.

℞ Tincturæ Opii et
Tincturæ Scillæ singulorum fluidunciam cum semisse ;
Spiritûs Ammoniæ aromaticæ fluiduncias tres,

Mellis optimi fluiduncias tres,
Aquæ Menthæ Piperitæ,
Aquæ, singulorum fluiduncias quadraginta duo ;

Misce, fiat Mistura.

Dosis f℥ss ad ℥j.

51. MISTURA POTASSÆ ACETATIS COMPOSITA.

℞ Potassæ Acetatis semunciam,
Tincturæ Scillæ fluidrachmas tres,
Spiritûs Ætheris Nitrici fluidunciam dimidiam,
Infusi Juniperi cum Scopario fluiduncias duodecim ;

Misce, fiat Mistura.

Dosis f℥i ad f℥iss.

52. MISTURA QUASSIÆ CUM FERRO.

℞ Infusi Quassiæ octarium,
Ferri Ammonio-Citratis drachmam ;

Misce, fiat Mistura.

Dosis f℥j ad ℥iss.

53. MISTURA QUINÆ CUM ACIDO NITRICO.

℞ Quinæ Disulphatis grana viginti quatuor,
Acidi Nitrici diluti fluidrachmam,

Aquæ Cinnamomi et
Aquæ puræ, singulorum fluiduncias sex;
Misce, fiat Mistura.
Dosis f℥i ad f℥iss.

54 MISTURA QUINÆ CUM ACIDO SULPHURICO.

℞ Quinæ Disulphatis grana octo,
Acidi Sulphurici diluti minima sex,
Aquæ fluiduncias quatuor;
Misce, fiat Mistura.
Dosis f℥i ad f℥iss.

55. MISTURA RHEI CUM MAGNESIA.

℞ Magnesiæ Carbonatis drachmas duas
Pulveris Rhei drachmam,
Pulveris Zingiberis semidrachmam,
Aquæ Menthæ Piperitæ fluiduncias octo;
Misce, fiat Mistura.
Dosis f℥j ad f℥ij.

56. MISTURA SALINA.

℞ Sodæ Potassio-Tartratis unciam dimidiam,
Sodæ Sesquicarbonatis drachmas duas,
Aquæ puræ fluiduncias viginti;
Misce, fiat Mistura.
Dosis f℥i ad f℥iss.

57. MISTURA SALINA CUM ACIDO HYDROCYANICO.

℞ Misturæ Salinæ fluiduncias sex,
Acidi Hydrocyanici diluti fluidrachmam dimidiam;
Misce.
Dosis f℥i ad f℥iss.

58. MISTURA SALINA ANTIMONIALIS.

℞ Antimonii Potassio-Tartratis granum,
Sodæ Potassio-Tartratis drachmam cum semisse,
Potassæ Nitratis drachmam dimidiam,
Acidi Hydrocyanici diluti fluidrachmam dimidiam,
Aquæ puræ fluiduncias sex;
Misce, fiat Mistura.
Dosis f℥i ad f℥iss.

59. MISTURA SCILLÆ CUM CONIO.

℞ Tincturæ Scillæ fluidrachmam,
Liquoris Potassæ fluidrachmam cum semisse
Extracti Conii scrupulum,
Misturæ Camphoræ fluiduncias quinque cum semisse;
Misce, fiat Mistura.
Dosis f℥i ad f℥iss.

60. MISTURA TINCTURÆ CAMPHORÆ COMPOSITÆ.

℞ Vini Ipecacuanhæ fluidrachmam dimidiam,
Tincturæ Camphoræ compositæ fluidrachmas duas cum semisse,
Tincturæ Hyoscyami fluidrachmas duas,
Aquæ semilibram;
Misce, fiat Mistura.
Dosis f℥i ad f℥iss.

61. MISTURA VALERIANÆ.

℞ Infusi Valerianæ fluiduncias sex,
Tincturæ Valerianæ compositæ fluidrachmas sex;
Misce, fiat Mistura.
Dosis f℥j ad ℥ij.

62. MISTURA VALERIANÆ COMPOSITA.

℞ Misturæ Camphoræ fluiduncias quinque,
Spiritûs Ammoniæ aromaticæ drachmas duas,
Tincturæ Valerianæ fluidrachmas tres,
Tincturæ Camphoræ compositæ fluidrachmam;
Misce, fiat Mistura.
Dosis f℥j ad f℥ij.

PILULÆ.

63. PILULÆ ALOËS CUM HYDRARGYRO.
(vel Pilulæ Purgantes.)

℞ Pulveris Aloës uncias novem,
Pulveris Cambogiæ uncias septem,
Pilulæ Hydrargyri drachmas quadraginta duas,
Extracti Hyoscyami drachmas octodecim.

Dosis Gr. v ad xv.

64. PILULÆ BISMUTHI CUM STRAMONIO.

℞ Extracti Stramonii grani sextam partem,
Bismuthi Trisnitratis grana duo,
Extracti Humuli grana duo ;

Misce, fiat pilula.

Dosis i ad ii.

65. PILULA CALOMELANOS CUM ACONITO.

℞ Calomelanos granum,
Extracti Aconiti granum ;

Misce, fiat Pilula.

Dosis i.

66. PILULÆ CALOMELANOS CUM ANTIMONIO.

℞ Calomelanos grana quindecim,

Antimonii Potassio-Tartratis granum,
Extracti Conii scrupulum.
Misce, fiant pilulæ decem.
Dosis i ad ii.

67. PILULÆ COLCHICI CUM ACONITO.

℞ Extracti Colchici acetici grana tria,
Extracti Aconiti granum cum semisse;
Misce, fiat pilula.
Dosis i.

68. PILULÆ COLOCYNTHIDIS.

℞ Extracti Colocynthidis compositi grana quinque,
Fiat pilula.
Dosis i ad iij.

69. PILULÆ COLOCYNTHIDIS CUM HYDRARGYRO.

℞ Pilulæ Hydrargyri scrupulum,
Extracti Colocynthidis compositi scrupulos duos,
Olei Caryophyllarum guttas quatuor;
Misce, fiant pilulæ duodecim.
Dosis i ad iij.

70. PILULÆ COLOCYNTHIDIS CUM IPECACUANHA.

(vel Aperiens et Alterativa).

℞ Extracti Colocynthidis compositi grana duo,
Pilulæ Hydrargyri granum cum semisse,
Extracti Hyoscyami granum,
Pulveris Ipecacuanhæ grani tertiam partem;
Misce, fiat pilula.
Dosis i ad iij.

71. PILULA CONII CUM IPECACUANHA.

℞ Extracti Conii grana quatuor,
Pulveris Ipecacuanhæ semigranum;
Misce, fiat pilula.
Dosis i ad iij.

72. PILULÆ CONII CUM MORPHIA.

℞ Extracti Conii grana quatuor,
Pulveris Ipecacuanhæ semigranum,
Morphiæ Hydrochloratis grani octavam partem.
Misce, fiat pilula.
Dosis i.

73. PILULÆ FERRI CUM MYRRHA.

℞ Ferri Sulphatis exsiccatæ granum,
Pilulæ Aloës cum Myrrha et Assafœtidæ, singulorum grana duo,
Olei Carui quantum sufficiat.

Misce, fiat pilula.

Dosis i ad ij.

74. PILULÆ HYDRARGYRI CUM EXTRACTO PAPAVERIS.

℞ Pilulæ Hydrargyri et
Extracti Papaveris, singulorum semidrachmam;

Misce, fiant pilulæ duodecim.

Dosis i.

75. PILULÆ HYDRARGYRI CUM PULVERE IPECACUANHÆ COMPOSITO.

℞ Pilulæ Hydrargyri grana duo,
Pulveris Ipecacuanhæ compositi grana tria,

Misce, fiat pilula.

Dosis i ad iij.

76. PILULÆ HYOSCYAMI CUM OPIO.

℞ Extracti Hyoscyami grana viginti,
Extracti Opii aquosi grana decem;

Misce, fiant pilulæ decem,

Dosis i ad iij.

77. PILULÆ LACTUCARII.

℞ Lactucarii et
Extracti Hyoscyami, singulorum grana tria;
Misce, fiat pilula.
Dosis i ad iij.

78. PILULÆ MORPHIÆ ET STRAMONII.
(No. 1.)

℞ Morphiæ Hydrochloratis grani sextam partem,
Pulveris Ipecacuanhæ semigranum,
Extracti Stramonii grani sextam partem,
Extracti Humuli grana duo;
Misce, fiat pilula.
Dosis i.

(No. 2.)
79. DOSIS MORPHIÆ HYDROCHLORATIS GRANI TERTIA PARS.

Dosis i.

(No. 3.)
80. DOSIS MORPHIÆ HYDROCHLORATIS SEMIGRANUM.

Dosis i.

81. PILULÆ PLUMBI ACETATIS.

℞ Plumbi Acetatis semigranum,
Morphiæ Hydrochloratis grani quartam partem,
Extracti Hyoscyami grana duo ;
Misce, fiat pilula.
Dosis i ad iij.

82. PILULÆ QUINÆ DISULPHATIS.

℞ Quinæ Disulphatis scrupulum,
Micæ panis quantum sufficiat ut fiant pilulæ decem ;
Dosis i ad ij.

83. PILULÆ RHEI CUM HYDRARGYRO.

℞ Pilulæ Hydrargyri grana decem,
Pilulæ Rhei compositæ drachmam dimidiam ;
Misce, fiant pilulæ decem.
Dosis i ad iij.

84. PILULÆ SCILLÆ CUM HYDRARGYRO.

℞ Pilulæ Hydrargyri scrupulum,
Pulveris Scillæ grana decem,
Pulveris Digitalis grana quinque,

Extracti Conii grana quindecim,
Creosoti quantum sufficiat ;
Misce, fiant pilulæ decem.
Dosis i.

PULVERES.

85. PULVIS CALOMELANOS ET IPECACUANHÆ.

℞ Pulveris Ipecacuanhæ semidrachmam,
Calomelanos semidrachmam,
Sacchari albi drachmam ;
Misce, fiat pulvis.
Dosis (infantilis) gr. iv.

86. PULVIS CALOMELANOS ET JALAPÆ.

℞ Calomelanos grana decem,
Pulveris Jalapæ grana triginta,
Pulveris Zingiberis grana decem ;
Misce, fiat pulvis.
Dosis (infantilis) gr. v ad x.

87. PULVIS IPECACUANHÆ CUM ANTIMONII-POTASSIO-TARTRATE.

(VEL PULVIS EMETICUS.)

℞ Pulvis Ipecacuanhæ scrupulum,
Antimonii Potassio-Tartratis granum ;
Misce, fiat pulvis emeticus.

88. PULVIS QUINÆ DISULPHATIS ET RHEI.

℞ Quinæ Disulphatis grana quinque,
Pulveris Rhei grana triginta ;

Misce, fiat pulvis.
Dosis (infantilis) gr. v.

89. PULVIS RHEI ET HYDRARGYRI CUM CRETA.

℞ Hydrargyri cum Cretâ scrupulum,
Pulveris Rhei scrupulos duos ;

Misce, fiat pulvis.
Dosis (infantilis) gr. vi.

90. PULVIS RHEI CUM MAGNESIA.

℞ Pulveris Rhei grana triginta,
Magnesiæ drachmam,
Pulveris Zingiberis grana duo ;

Misce, fiat pulvis.
Dosis (infantilis) gr. ix.

91. PULVIS RHEI ET SODÆ.

℞ Pulveris Rhei scrupulos duos,
Sodæ exsiccatæ et
Hydrargyri cum cretâ singulorum scrupulum.

Misce, fiat pulvis.
Dosis (Infantilis) gr. viij.

SUPPOSITORIUM.

92. SUPPOSITORIUM OPII.

℞ Opii Pulveris grana duo,
Saponis duri grana tria ;
Misce, fiat Suppositorium.

SYRUPI.

93. SYRUPUS FERRI CARBONATIS.

℞ Ferri Sulphatis unciam,
Sodæ Bicarbonatis unciam,
Aquæ destillatæ fluiduncias octo ;
Solve pulveres et præcipita.

℞ Præcipitati recentis unciam,
Syrupi Simplicis fluiduncias viginti ;
Misce.

Dosis ʒss ad ʒii.

94. SYRUPUS FERRI IODIDI.

℞ Ferri Iodidi solutionis (P.L.) fluidunciam,
Syrupi fluiduncias duas ;
Misce, fiat syrupus.

Dosis fʒss ad fʒii.

TINCTURA.

95. TINCTURA CANNABIS INDICÆ.

℞ Extracti Cannabis Indicæ grana tria,
Spiritus Vini rectificati fluidrachmam;
Dosis ♏ v. ad ♏ xx.

UNGUENTA.

96. UNGUENTUM POTASSII IODIDI.

℞ Potassii Iodidi semunciam,
Axungiæ unciam cum semisse;
Misce, fiat Unguentum.

97. UNGUENTUM SULPHURIS IODIDI.

℞ Adipis unciam,
Sulphuris Iodidi grana quindecim;
Misce, fiat Unguentum.

98. UNGUENTUM HYDRARGYRI NITRATIS MITIUS.

℞ Unguenti Hydrargyri Nitratis uncias duas,
Adipis uncias duas,
Olei Olivæ unciam;
Misce, fiat Unguentum.

VINUM.

99. VINUM FERRI.

℞ Ferri Potasso-Tartratis uncias duas,
Aquæ ferventis fluiduncias viginti ;
Misce.

Dosis f℥ss ad f℥ii.

APPENDIX.

THE FOLLOWING TABLES EXHIBIT THE PROPORTIONS OF WEIGHTS AND MEASURES, AND THE SIGNS USED IN PRESCRIPTIONS.

Apothecaries' Weight.

A pound,	*libra,*	lb.	contains	12 ounces.
An ounce,	*uncia,*	℥	"	8 drachms.
A drachm,	*drachma,*	ʒ	"	3 scruples.
A scruple,	*scrupulus,*	℈	"	20 grains.
A grain,	*granum,*	gr.		

A gallon,	*congius,*	cong.	contains	8 pints.
A pint,	*octarius,*	O	"	20 fluid ounces.
A fluid ounce,	*fluiduncia,*	f℥	"	8 fluid drachms.
A fluid drachm,	*fluidrachma,*	fʒ	"	60 minims.
A minim,	*minimum,*	♏.		

Apothecaries' Weight.

℔.		℥		ʒ		℈		gr.
1	=	12	=	96	=	288	=	5760
		1	=	8	=	24	=	480
				1	=	3	=	60
						1	=	20
Cong.		O		f℥		fʒ		♏
1	=	8	=	160	=	1280	=	76800
		1	=	20	=	160	=	9600
				1	=	8	=	480
						1	=	60

GENERAL HEADS FOR REPORTS OF CASES.

PREVIOUS HISTORY.

NAME—Sex—Age.

DATE OF ADMISSION—Day of Week, Month and Year.

CIVIL STATE—Occupation—How long followed, and with or without interruption.—Married [When and Number of Children] or Single —Habits and Mode of Life—Quantity and Quality of Food and Drink—Clothing.

PLACE OF ABODE—Damp or dry—Open or confined—How long resident—and how long in London.

Stature—Conformation—Temperament—Complexion.

HABITUAL STATE OF MIND—Anxious—Melancholy—Cheerful—Sleep.

HEREDITARY PREDISPOSITION—Age of Parents—To what diseases subject—If dead, of what disease, and at what age—Diseases of brothers, sisters, or children, if any worth noting.

HABITUAL STATE OF HEALTH—and amount of flesh—and strength—*any and what previous diseases*, and their dates and duration. (Here and under previous head, when necessary,

give a few leading facts or symptoms to *prove* the nature of the disease.)—Ever had Acute or Chronic Rheumatism.—Scarlet Fever or Syphilis.

Present Attack—*Exact* date of its commencement—How long left off work—How long confined to bed.

(Note Symptoms in the order of their occurrence—with dates of commencement and cessation—progressive changes—and exact seat of chief ones.)

Treatment before admission, and its effects.

PRESENT STATE.

(Note the condition of *all* parts of the body in succession—Also the principal *negative* as well as *positive* circumstances in the state of every part.)

General Symptoms—

Rigors—General Pains or Soreness—Lassitude—Prostration of Strength—Position—Jactitation.

Exterior—Colour of Skin—Temperature—Sweating or Dryness—Eruptions—Increased cutaneous sensibility—Emaciation—Colour, of lips, cheeks, and eyes—Swelling, Colour, &c. of Joints—Anasarca.

Nervous System—Head—Habitual and present state of Intellect—Delirium—Convul-

sions—Rigidity—Paralysis—Sleep—Pain—Giddiness—Expression of Countenance—State of Organs of Sense.

Spine—Pain—Tenderness, and its exact seat—Weakness—Curvature.

Respiratory Organs—Respiration—its characters and frequency—Pain, its seat and kind—Voice, and state of Larynx—Cough, its character—Expectoration, its quantity and characters—Physical signs.

Organs of Circulation—Heart—Pain—Palpitations—Syncope—Physical signs—Pulse—External veins, dilatation or pulsation of.

Digestive and Abdominal Organs—Mouth—Tongue—Throat—Deglutition—Odour of Breath—Appetite—Thirst—Nausea—Vomiting—Abdomen—Size—Form—Pain—Tenderness—Stools, number and character of.

Liver—Size—Symptoms referable to—Spleen, size, &c.

Kidneys, Bladder and Urethra—Urine—Quantity—Colour—Odour—Sediments and their characters—Specific gravity. Is it Acid, Alkaline—Does it contain Albumen or excess of Urea?

Organs of Generation—Menses—Age at which began and ceased—Periods—Quantity—Quality.

Supposed exciting Causes—Epidemics—Contagion—State of weather—Exposed to wet, cold, or currents of air—Moral causes—

Degree of Intensity—Date and duration of application—Number of hours or days between application and appearance of disease.

TREATMENT—Medicinal and Dietetic.

PROGRESS—

DAILY REPORTS—State of principal preceding symptoms—Accession of new symptoms——Effects of remedies prescribed—*Exact date* when each thing was prescribed and *omitted.*

RESULT—Date and cause of discharge—or death.

INSPECTION OF THE BODY.

NUMBER OF HOURS AFTER DEATH — State of Weather.

(Note state of *all* the organs and the chief *negative* as well as *positive* circumstances of each—Also the weights of Viscera and *position* of those of Thorax and Abdomen.)

EXTERIOR—Emaciation—Thickness of fat in Integuments—Colour of Skin—Eruptions—Abrasion—Sloughing—Œdema—Cadaveric rigidity—Colour of Muscles.

HEAD AND SPINE—Integuments and bones of Head—The three membranes of Brain—their Colour—Thickness—Transparency—Adhesions—Quantity and character of Serous or other effusion in cavity of Arachnoid—in Ventricles—and under and between Membranes.

Sinuses and Veins—Amount and aspect of Blood—State of coats—Condition of chief arteries.

Brain—Cerebellum—Medulla oblongata and spinal cord—Convolutions and Sulci—size and depth—Colour and consistency of gray and white parts—Number and size of red points—Organs of Sense.

Larynx — Epiglottis — Glottis — Trachea— Mucous membrane—their Colour—Thickness—Consistency, &c.

Chest — Pleura — its Colour — Thickness — Transparency — Adhesions — Contents — Thymus gland.

Lungs—Bronchi—Colour—Thickness—Consistency—Secretion, &c. of Mucous membrane—Calibre of Bronchi—Thickness of Cartilages—Bronchial glands—Substance of Lungs—Volume—Colour—Density—Consistency—Quantity of Blood or Serum—Size of Air-cells.

Pericardium—Colour—Transparency—Thickness—Any white patch on it, and where—Quantity of fat under it—Adhesions—Serous or other effusion.

Heart—Left Ventricle—Thickness, Colour and Density of Walls—Columnæ carneæ—and Septum — Capacity — State of lining membrane—Valves and orifices—Changes in their thickness—Texture and dimensions.

Right Ventricle—the same.

LEFT AURICLE—Thickness of Walls and Musculi pectinati—Capacity—Endocardium—Foramen ovale, open or closed.

RIGHT AURICLE—the same.

AORTA — PULMONARY ARTERY — AND LARGE VENOUS TRUNKS—Circumference—Colour—Thickness—Changes of texture, &c. in coats—Blood in heart and great vessels—quantity in each cavity—colour—fluid, watery or coagulated—if any colourless coagula, note their position.

MOUTH—Throat—Pharynx and Œsophagus.

TONGUE—Salivary glands—Volume and mucous membrane—Mucous lining of Mouth—Soft palate—Tonsils and Œsophagus.

STOMACH—DUODENUM AND REST OF SMALL AND LARGE INTESTINES — Volume — Contents — Orifices—Mucous membrane—its Colour—Thickness—Consistency—Quantity and character of Secretions—Glands aggregate and solitary.

MESENTERIC AND MESOCOLIC GLANDS—Size—Colour—Consistency.

PERITONEUM — Colour — Thickness — Transparency — Smoothness — Adhesions — Contents, &c.—Omentum.

LIVER—Size—Colour—Consistency — Quantity of blood—Tunics—Gall-bladder and biliary ducts — Capacity, &c. — Bile — Quantity—Colour—Consistency.

SPLEEN—Size—Colour—Consistency—Tunics.

Pancreas—Size—Colour—Consistency.

Lymphatic Glands—Lumbar—Inguinal—Cervical—Axillary, &c.

Kidneys—Proper tunic—Thickness—Colour—Degree of adhesion—Exterior volume—Form—Colour—Smoothness—Cortical and tubular portions — Size — Colour — Density — Changes in texture.

Pelvis and Ureters — Capacity — Mucous membrane, characters of.

Bladder, Urethra and Prostrate Gland—Volume — Density — Capacity — Thickness and other characters of different components.

Uterus — Fallopian Tubes — Ovaries — Testes.

Microscopic Examinations.

THE END.

Bradbury & Evans, Printers, Whitefriars.

Diseases of the Lungs.

WALSHE'S (Dr. W. H.) PHYSICAL DIAGNOSIS OF DISEASES OF THE LUNGS. Fcap. 8vo, 6*s.* 6*d.* cloth.

"The treatise is one of extraordinary merit. Indeed we do not hesitate to say that there exists in no language any work on the physical diagnosis of diseases of the lungs, suited for students, so clear and precise, and at the same time so comprehensive and practical, as this."—*British and Foreign Medical Review.*

Dr. Quain's Anatomy. By Dr. Sharpey and Mr. Quain.

ELEMENTS OF ANATOMY. By Dr. Quain. *Fifth Edition.* Edited by Dr. Sharpey and Mr. Quain. Part II.– Containing the FASCIÆ VESSELS, and NERVOUS SYSTEM; also the CONTINUATION of the GENERAL ANATOMY. 8vo, with very numerous Engravings on Wood.

Completion of Mr. Quain's Work on the Arteries.

THE ANATOMY OF THE ARTERIES OF THE HUMAN BODY, and its Applications to Pathology and Operative Surgery; with a series of Lithographic Drawings the size of nature. By Richard Quain, F.R.S., Professor of Anatomy in University College, and Surgeon to University College Hospital.

The Drawings from Nature and on Stone, by Joseph Maclise, Esq., Surgeon.

The Work consists of an Octavo Volume of Letter-Press, and Eighty-seven Plates Imperial Folio (27 by 21½ inches). It may be had as follows:—In 17 parts, price 10*l.* 12*s.*; Half-bound Morocco, gilt top, 13*l.* Either with the Plates in Two Volumes folded into half their full size, or with the Plates in One Volume unfolded.

Chemistry.

TURNER'S ELEMENTS OF CHEMISTRY. *Seventh Edition.* Edited by Justus Liebig, M.D., Professor of Chemistry in the University of Giessen, and William Gregory, M.D., Professor of Chemistry in the University of Edinburgh. 1 thick vol. 8vo, 1*l.* 8*s.*

"As a compendium of the present state of chemistry, and a text-book for all beginners, we consider it is unequalled by any in the English language, and we even doubt whether there are any of the Foreign manuals, of an equal size, which can venture to compete with it."—*Chem. Gaz.*, Dec. 1, 1842.

Gregory's Chemistry.

OUTLINES OF CHEMISTRY, FOR THE USE OF STUDENTS. By WILLIAM GREGORY, M.D., Professor of Chemistry in the University of Edinburgh. Complete in One Volume, fcap. 8vo, 12*s.* cloth. Part I.—(INORGANIC CHEMISTRY), 5*s.* cloth. Part II.—(ORGANIC CHEMISTRY), 7*s.* cloth.

"This is beyond comparison the best introduction to Chemistry which has yet appeared. The directions for preparing substances are usually confined to the *best* method, so that brevity and selectness are combined. The size and the price of this little work, as well as its intrinsic merits, commend it to every student of Chemistry."—*Lancet.*

Chemical Analysis.

OUTLINES OF THE COURSE OF QUALITATIVE ANALYSIS FOLLOWED IN THE GIESSEN LABORATORY. By HENRY WILL, PH.D., Professor Extraordinary of Chemistry in the University of Giessen. With a Preface, by PROFESSOR LIEBIG. 8vo, 6*s.*, or with the Tables mounted on Linen 7*s.*

"The present work contains an accurate description of the course I have followed in my laboratory with great advantage for 25 years."—*Baron Liebig.*

New Edition of Parnell's Chemical Analysis.

ELEMENTS OF CHEMICAL ANALYSIS, QUALITATIVE AND QUANTITATIVE. By EDWARD ANDREW PARNELL, Author of "APPLIED CHEMISTRY IN ARTS, MANUFACTURES, AND DOMESTIC ECONOMY." *Second Edition*, revised throughout, and enlarged by the addition of 200 pages, 8vo, 14*s.* cloth.

Physiology.

MULLER'S ELEMENTS OF PHYSIOLOGY. Translated, with Notes, by WILLIAM BALY, M.D. Steel Plates and very numerous Engravings on Wood. 2 thick vols. 8vo, 20*s.* each.

"We *do*, however, recommend it very strongly, and we have no hesitation in saying that it will supersede all other works as a Text Book for Lecturers, and one of reference for students. It steers a middle course between the superficial brevity of many of our modern works, and the pleonastic and metaphysical jargon of Burdach."—*Med. Chir. Review*, April, 1838.

Dissection.

ELLIS'S DEMONSTRATIONS OF ANATOMY; A GUIDE TO THE DISSECTION OF THE HUMAN BODY. 1 vol. small 8vo, 12*s*.

"We think Mr. Ellis's 'Demonstrations' are in every way fitted for the purposes for which they are intended, and we therefore strongly recommend the work to the notice of every member of the profession. We are convinced that it will quickly become the general Text Book of every working student in anatomy."—*British and Foreign Medical Review.*

Surgical Anatomy.

MORTON'S SURGICAL ANATOMY OF THE PRINCIPAL REGIONS. Royal 8vo. Plates and Woodcuts.

PERINÆUM. Four Plates and Three Woodcuts. 6*s*. plain, 7*s*. 6*d*. coloured.

GROIN, FEMORAL AND POPLITEAL REGIONS. Eight Plates and Eleven Wood Engravings. 9*s*. plain, 13*s*. coloured.

INGUINAL HERNIÆ, TESTIS AND ITS COVERINGS. Five Plates and Eleven Woodcuts. 13*s*. coloured, 9*s*. plain.

THE HEAD AND NECK, THE AXILLA, AND BEND OF THE ELBOW. Eight Plates. 12*s*. coloured, 7*s*. 6*d*. plain.

"The production (volume on the Groin) is altogether one which we can conscientiously recommend to the working student * * * * The work will constitute a complete and elaborate treatise, that cannot fail to be highly useful to surgeons in general."—*British and Foreign Medical Review.*

"The present work (Inguinal Herniæ) is a worthy successor to those on the Groin and Perinæum, and will prove, we do not doubt, as great a favourite with students."—*Med. Chir. Rev.*, April, 1841.

Mr Bentley. 29 Soho Sq.